

# ADESSO Urban Column Showers

## BPIR Declaration

Version:

**Designated building product:** Class 1

### Declaration

Robertson NZ Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/system

<b>Name</b>	ADESSO Urban column shower
<b>Line</b>	Adesso Urban column shower
<b>Identifier</b>	(7)707651, (7)713914, (7)743483, (7)707652, (7)743481

### Description

Adesso Urban column showers are intended for domestic use. They are suitable for Mains pressure 3 star 7 L/min.

### Scope of use

Adesso Urban Tapware is suitable for domestic installations and should be installed by a registered Plumber.

### Conditions of use

Adesso Urban tapware should be installed by a registered plumber.

### Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2, G12.3.5

### Contributions to compliance

Adesso Urban Tapware comes with a 7 year warranty for CP and 2 year warranty for colours.

## Supporting documentation

The following additional documentation supports the above statements:

None added

For further information supporting ADESSO Urban tapware claims refer to our website.

## Contact details

<b>Manufacture location</b>	Overseas
<b>Legal and trading name of manufacturer</b>	Robertson NZ Limited
<b>Legal and trading name of importer</b>	Robertson NZ Limited
<b>Importer address for service</b>	25 Vestey Dr Auckland 1060
<b>Importer website</b>	<a href="http://www.robertson.co.nz">www.robertson.co.nz</a>
<b>Importer NZBN</b>	9429032734980
<b>Importer email</b>	info@robertson.co.nz
<b>Importer phone number</b>	095730490

## BPIR Ready selections

**Category:** Tapware

	<b>Yes</b>	<b>No</b>
Suitable for accessible facilities		x
Provision of hot water for sanitary fixtures	x	

## Building code performance clauses

### B2 Durability

#### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.
- 
- **F2 Hazardous building materials**

#### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

## **G1 Personal Hygiene**

### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

## **G12 Water Supplies**

### G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.

### G12.3.5

*Sanitary fixtures* and *sanitary appliances* must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.

- [Third party consultants](#)
- [Changelog](#)
- [Terms of use](#)
- [Privacy policy](#)
- [Contact](#)