

Class 1

Adesso Edge Bath

Product Disclosure Information Self-Assessment

Version: V090823

Product name	Adesso Edge Bath
Product line	Adesso Freestanding Soft Oval Bath
Product identifier	(7) 638984

Product description

Natural Stone baths are made from a powder-foam that is milled from stone. This filled into a mould. The bath has a smooth matte white finish.

The dimensions are: 1690L x 800W x 560mm H

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.5

Contributions to compliance

- B2 Durability o B2.3.1 Adesso Composite Stone baths carry a 5 year warranty for normal, domestic use.
- F2 Hazardous building materials o F2.3.1 Adesso Composite Stone baths are safe when handled. There are no requirements for this product in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1 Personal Hygiene o G1.3.2 Adesso Composite Stone baths shall be installed to: facilitate sanitation, avoid harbouring dirt or germs, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and provide a healthy safe disposal system when non-water-borne disposal is used Sanitary fittings should be easy to locate and identify, with their operation easy to understand and suitable for both standing and seated users.

First party self-assessment generated Aug 10, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=b07f4843c2d029862a4c745a89a1d251340a3cd9>

Get BPIR Ready | bpir.nz

•G12 For Water supplies G12, the prime building product objective is to ensure that the product used in water supply will not contaminate potable water either by way of material leaching into the water or cross connections and will not leak.

Scope of use

The Adesso Edge Composite Stone bath is intended for normal, domestic use only. It is designed to enclose water. It can be used with water temperatures up to 55 degrees celsius.

This Composite Stone bath is to be installed using the waste fitting supplied with the bath.

This bath is to be mounted on a flat floor surface.

Conditions of use

The Adesso Edge Composite Stone bath must be installed in accordance with the instructions provided. We recommend th bath is installed by an authorised installer. Floor surfaces must be flat and free of movement, and unheated.

This product is intended for normal, domestic use only. This product is cleanable and impervious to moisture — cleaning of the bath shall be done in accordance with the manufacturer's cleaning instructions.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Adesso Edge Freestanding Oval Bath (Design)	V090823	https://adesso.co.nz/bathroom/baths/freestanding-baths/edge-freestanding-bath-oval-170mm-natural-stone

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Bathroom Brands Group
Legal and trading name of importer	Bath Co. Limited
Importer address for service	86 Wigram Road Christchurch 8025
Importer website	www.bathco.co.nz
Importer NZBN	9429041650790
Importer email	info@bathco.co.nz

First party self-assessment generated Aug 10, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=b07f4843c2d029862a4c745a89a1d251340a3cd9>

Get BPIR Ready | bpir.nz

Importer phone number	033430969
-----------------------	-----------

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities		x
Provision of hot water	x	

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
 - i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
 - ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.5

Sanitary fixtures and sanitary appliances must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.