

Class 1

Elevate Tapware

Product Disclosure Information Self-Assessment

Version: Version 1

Product name	Elevate Tapware
Product line	Tapware
Product identifier	CB003CL.CR CB031L.CR GR1100SL 729181 729182 726216

Product description

Elevate Basin Mixer With Medical Lever Chrome Elevate Shower Mixer With Medical Lever Handle Chrome Elevate Grab Rail Slide Shower 729181 729182 726216

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2, G1.3.4

G2 Laundering — G2.3.4

G3 Food preparation and prevention of contamination — G3.3.5

G12 Water Supplies — G12.3.2, G12.3.10

Contributions to compliance

The Elevate Basin Mixer complies with the building code clauses B2.3.1 and B2.3.2. The product has an in-service history of 6+ years, industry leading performance qualities and compliance is as per verification method B2/VM1. The Cartridge has ISO 9001 and ASNZS 4020:2018.

First party self-assessment generated Oct 18, 2023 with BPIR Ready.

Source: <https://www.bpir.nz/form/view?wz=a69a575e85eab9515fe386517f09b93333d56d52>

Get BPIR Ready | [bpir.nz](https://www.bpir.nz)

Scope of use

For use in residential and commercial applications. Must be installed by a registered plumber and as per the installation instructions.

Conditions of use

For use in residential and commercial applications. Must be installed by a registered plumber and as per the installation instructions.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Product Information Site (Design, Installation, Warranty)	V1	https://www.mico.co.nz

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Plumblin LTD
Legal and trading name of importer	Plumblin LTD
Importer address for service	1 Antillies place, Grenada Village. Wellington 6037
Importer website	www.plumblin.co.nz
Importer NZBN	9429036110377
Importer email	sales@plumblin.co.nz
Importer phone number	04 568 9898

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Tapware

	Yes	No
Suitable for accessible facilities	x	
Provision of hot water for sanitary fixtures		x

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G1.3.4

Personal hygiene facilities provided for *people with disabilities* shall be *accessible*

G2 Laundering

G2.3.4

Accessible facilities shall be provided for people with disabilities.

G3 Food preparation and prevention of contamination

G3.3.5

Where facilities are provided for *people with disabilities* they shall be *accessible*.

G12 Water Supplies

G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.

G12.3.10

Water supply taps must be *accessible* and usable for *people with disabilities*.