



CLASS 1

Building Product Information Sheet

Product name:

Mastertrade Brass Fittings Range

Product line (the product line from which the product is customised):

Crox fittings, nipple fittings, brazing fittings, male thread fittings, male/female thread fittings, female thread fittings

Product description and its intended use (measurements, materials, usage):

The Mastertrade brass fittings range is manufactured in accordance with AS 3688 and DZR AS 2345 and meets the requirements of AS/NZS 4020 materials in contact with drinking water. Available size range is 15mm up to 50mm. Refer: www.mico.co.nz for additional information. The Mastertrade Brass fittings range is suitable for use in plumbing and gas applications.

Product identifier (if applicable):

Fittings – MT + DR / (Size + WaterMark + Standard + Licence Number - additional markings)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Manufactured under licence by Jiangxin Import and Export Co Ltd on behalf of MM Brands Ltd for Mastertrade

Legal and trading name of the importer (if applicable):

MM Brands Ltd

Address for service:

STREET NAME 263 Ti Rakau Drive SUBURB Burswood

CITY, COUNTRY Auckland NZ POSTCODE 2013

Website: www.mmbrands.co.nz

Email address: sales@mmbrands.co.nz

Phone No. (if applicable): 09 2740111

NZBN (if applicable): 9429040718897

Relevant Building Code clauses:

Durability B2.3.1(a)
 Hazardous Building Materials F2.3.1
 Water supplies G12.2

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(a)
 The Mastertrade brass range has a design life of over 50 years when installed in accordance with the relevant installation standards which meets requirements B2.3.1(a)

Hazardous Building Materials F2.3.1
 The Mastertrade brass range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1

Water Supplies G12.2
 The Mastertrade brass range meets the requirements of AS/NZS 4020 potable water standards and has components that wouldn't contaminate the water as per requirement G12.2.1. and is durable and fit for purpose as per requirement G12.2.2 and G12/VM1

Manufacturer holds current WaterMark certification through SAI Global and JASANZ

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

As defined in the scope of the installation standards G12 and AS/NZS 3500

Design requirements that would support the use of the building product:

Durability and Proven Performance.

As defined in the scope of the installation standards G12 and AS/NZS 3500

Installation requirements:

Installation shall be performed by licenced and competent installers.

Maintenance requirements:

The Mastertrade brass range requires no ongoing maintenance post commissioning.

Is the building product/building product line subject to warning or ban under section 26?: No

If yes, description of the warning or ban under section 26:

Date: 11 December 2023