

Class 1

# Raymor Atlanta Tapware

Product Disclosure Information Self-Assessment

Version: V1

|                           |   |
|---------------------------|---|
| <b>Product name</b>       | Raymor Atlanta Tapware                            |
| <b>Product line</b>       | Raymor Tapware                                    |
| <b>Product identifier</b> | (7)692835 (7)692836 (7)692837 (7)693277 (7)714756 |

## Product description

Raymor Atlanta tapware is a wall-mounted and bench-mounted tap depending on the configuration, manufactured from brass, has a continuous temperature valve and a variable flow rate head.

It is suitable for domestic use, and with mains pressure water supply systems.

Raymor Cove tapware is available only in chrome.

Raymor Cove tapware has indicators which show the relative temperature range (red for hot and blue for cold)

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.5

## Contributions to compliance

B2.3.1(a) (ii) and (iii) and B2.3.2: Raymor Cove tapware has a 20 year warranty and a 2 year warranty on the colour. Refer to the specification sheet and installation requirements for further information.

F2.3.1: Raymor Cove is safe when handled. There are no requirements for this product in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.

G1. Raymor Cove tapware is easy to access and clean where required. It is also compliant and compatible with fittings made to AS/NZS 3500 standards. Wels rating of 4star or 7.0 lpm

## Scope of use

Please refer to the specification and installation sheet for this product

## Conditions of use

Must be installed by a New Zealand registered plumber. Must be installed in accordance with the specification/installation manual. Please refer to the the installation instructions for maintenance or cleaning instructions.

## Supporting documentation

The following additional documentation supports the above statements:

None added

## Contact details

|   |  |
|---|--|
| <b>Manufacture location</b>                   | Overseas                                 |
| <b>Legal and trading name of manufacturer</b> | ZHEJIANG SUERDA SANITARY CO              |
| <b>Legal and trading name of importer</b>     | MICO NEW ZEALAND LIMITED                 |
| <b>Importer address for service</b>           | Unit 3/1 Show Place<br>Christchurch 8024 |
| <b>Importer website</b>                       | www.mico.co.nz                           |
| <b>Importer NZBN</b>                          | 9429040952543                            |
| <b>Importer email</b>                         | info@mico.co.nz                          |
| <b>Importer phone number</b>                  | 033381009                                |

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

### BPIR Ready selections

Category: Sanitary fixtures and appliances

|                                    | Yes | No |
|------------------------------------|-----|----|
| Suitable for Accessible facilities |     | x  |
| Provision of hot water             | x   |    |

**Building code performance clauses**

All relevant building code performance clauses listed in this document:

**B2 Durability**

B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
  - i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
  - ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

**F2 Hazardous building materials**

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

**G1 Personal Hygiene**

G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

**G12 Water Supplies**

G12.3.5

*Sanitary fixtures* and *sanitary appliances* must be provided with hot water when intended to be used for

- a. utensil washing; and

b. personal washing, showering, or bathing.

First party self-assessment generated Aug 15, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=69617750fb7820d14c3f8903bda119cf8074ba2b>

Get BPIR Ready | [bpir.nz](https://bpir.nz)