

Class 1

# Raymor Classic Care Toilet Suite

Product Disclosure Information Self-Assessment

Version: V1

<b>Product name</b>	Raymor Classic Care Toilet Suite
<b>Product line</b>	Care compliant Raymor toilet
<b>Product identifier</b>	Raymor Classic Care Toilet Suite

## Product description

Wall faced and close coupled toilets with directed flush action.

Raymor toilets have a 4 star WELS rating with S or P pan configuration.

Alternative waste adaptors for standard (S) or extended (SE) set out.

Product codes:

S Pan White 7741121

P Pan White 7741120

S Pan Extended White 7741122

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2, G1.3.4

## Contributions to compliance

B2.3.1(c): 7 year warranty for defects in materials and workmanship.

F.2.3.1 Refer to the material safety data sheets and any installation and maintenance instructions.

G.1.3.2 Easy to clean surfaces to avoid harbouring dirt or germs.

## Scope of use

Suitable for residential or commercial applications. Not recommended in public applications with a risk of vandalism.

## Conditions of use

Installation by a registered plumber.

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Raymor Care (Installation, Warranty)	V1	<a href="https://raymor.co.nz/search.php?search_query=care&amp;section=product">https://raymor.co.nz/search.php?search_query=care&amp;section=product</a>

## Contact details

<b>Manufacture location</b>	Overseas
<b>Legal and trading name of manufacturer</b>	KDK Sanitary Ware
<b>Legal and trading name of importer</b>	Heirloom International Limited
<b>Importer address for service</b>	3 Analie Place Auckland 2013
<b>Importer website</b>	<a href="http://www.heirloom.co.nz">www.heirloom.co.nz</a>
<b>Importer NZBN</b>	9429039433107
<b>Importer email</b>	<a href="mailto:info@heirloom.co.nz">info@heirloom.co.nz</a>
<b>Importer phone number</b>	09 274 4443

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

First party self-assessment generated Sep 7, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=5b627a1da7bbb471aba08049491049d4d2e5cf26>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

## BPIR Ready selections

Category: Sanitary fixtures and appliances

	Yes	No
Suitable for Accessible facilities	x	
Provision of hot water		x

## Building code performance clauses

All relevant building code performance clauses listed in this document:

### B2 Durability

#### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

### F2 Hazardous building materials

#### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G1 Personal Hygiene

#### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

#### G1.3.4

Personal hygiene facilities provided for *people with disabilities* shall be *accessible*